

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((WIRE ADJ SAW) and deviation and coolant and tension).cml.	US-PGPUB; USPAT;	OR	OFF	2005/10/25 15:00
S1	0	125/21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/04 16:21
S2	674	125/21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/27 17:47
S3	698	83/651.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/27 17:47
S4	1066	83/171.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/27 17:47
S5	288	83/16.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/27 17:47
S6	14	(S2 S3 S4 S5) and abrasive\$1 and lubricant\$1 and (coolant cooling cooler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:53
S7	674	125/21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:37
S8	698	83/651.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:37
S9	1066	83/171.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:37

S10	288	83/16.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/09 10:25
S11	17	(S7 S8 S9 S10) and abrasive\$1 and lubricant\$1 and (coolant cooling cooler)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/31 09:40
S12	1	10/492681.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/01/31 10:01
S13	49	kondo-sadahiko.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:19
S14	49	kondo-sadahiko.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:19
S15	5	S14 and glycol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:19
S16	676	125/21.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:53
S17	699	83/651.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:53
S18	1070	83/171.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:53
S19	289	83/16.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:53

S20	19	(S16 S17 S18 S19) and glycol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/02 13:53
S21	1	10/643773.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 11:20
S23	49	kondo-sadahiko.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:24
S24	149	Neomax.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:25
S26	306369	Sumitomo.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:26
S27	4295	Sumitomo adj special adj metals. as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:26
S28	62	S27 and ((Kondo or Miyachi or Ishida).in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:36
S29	209	S24 or S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:27
S30	1649	glycol and ((Kondo or Miyachi or Ishida).in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:37
S31	5	glycol and ((Kondo-sadahiko or Miyachi-akira or Ishida-hazime).in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:56

S32	46290	atomization or atomizer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:56
S33	7	S32 and "125".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 16:48
S34	25	S32 and "83".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 10:58
S35	1	10/492681.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 11:20
S36	4295	Sumitomo adj special adj metals. as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 11:56
S37	62	S36 and ((Kondo or Miyachi or Ishida).in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 11:56
S38	0	10/506318.app.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 16:10
S39	2	("83" or "125").clas.) and (surface adj tension) and (kinetic with friction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 17:18
S40	21	("83" or "125").clas.) and (kinetic with friction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 09:53
S41	2274	(kinetic near2 friction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 17:34

S42	1350	(kinetic near2 friction) near3 coefficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 17:37
S43	739	S42 and (cut cutting cutter saw sawing slice slicing blade blades wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:03
S44	686	S42 and (cut cutting cutter saw sawing slice slicing blade blades)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 17:40
S45	686	S42 and (cut cutting cutter saw sawing slice slicing blade blades)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 17:46
S46	7	S42 and ((cut cutting cutter saw sawing slice slicing blade blades). ti.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 17:50
S47	233	("rare-earth alloy")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 17:55
S48	25	("rare-earth alloy") and friction and (coolant or lubricant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 18:09
S49	3	("rare-earth alloy") and glycol and (coolant or lubricant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 18:10
S50	5	("rare-earth alloy") and glycol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/05 18:10
S51	3	(("83" or "125").clas.) and ((coat coating) with glycol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:39

S52	66	(("83" or "125").clas.) and ((coat coating) with (lubricant or coolant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:00
S53	233	("rare-earth alloy")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:00
S54	12	S53 and ((coat coating) with (lubricant or coolant))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:02
S55	1708	((coat coating) near3 glycol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:03
S56	60	((coat coating) near3 glycol) same (cut cutting cutter saw sawing slice slicing blade blades wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:04
S57	603	((coat coating) near3 glycol) and (cut cutting cutter saw sawing slice slicing blade blades wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:04
S58	227	((coat coating) near3 glycol) and (cut cutting cutter saw sawing slice slicing blade blades wire) and wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:08
S59	227	((coat coating) near3 glycol) and ((cut cutting cutter saw sawing slice slicing blade blades wire) with wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:08
S60	112	((coat coating) near2 glycol) and ((cut cutting cutter saw sawing slice slicing blade blades wire) with wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:07
S61	20	((coat coating) near3 glycol) and ((cut cutting cutter saw sawing slice slicing blade blades) with wire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/05/06 10:11

S62	127	((coat coating) near3 glycol) and (cut cutting cutter saw sawing slice slicing blade blades) and wire	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:08
S63	1983	motor and ("rare-earth" or (rare adj earth)) near (magnet or magnets))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:13
S64	94	"voice coil motor" and ("rare-earth" or (rare adj earth)) near (magnet or magnets))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:14
S65	36	"voice coil motor" same ("rare-earth" or (rare adj earth)) near (magnet or magnets))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:22
S66	4	S53 and (wire with diameter)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:51
S67	0	("83" or "125").clas.) and ((wire adj saw) with diameter)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:57
S68	79	("83" or "125").clas.) and ((wire adj saw) with diameter)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 11:18
S69	29	S53 and (resin same (phenol epoxy polyimide))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:52
S70	376	("83" or "125").clas.) and (resin same (phenol epoxy polyimide))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 11:59
S71	21	("83" or "125").clas.) and (resin same (phenol epoxy polyimide)) and (wire adj saw)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 10:58

S72	92	("83" or "125").clas.) and (resin same (phenol epoxy polyimide)) and abrasive	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:07
S73	56	("83" or "125").clas.) and ((wire adj saw) with tension)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 11:38
S74	165	("83" or "125").clas.) and ((wire adj saw) and tension)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 11:39
S75	23	("83" or "125").clas.) and ((wire adj saw) and (tension near4 (newtons pounds force "N" lbs\$3)))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 11:47
S76	27	("83" or "125").clas.) and ((wire adj saw) and (plano adj wire))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 11:48
S77	221	("83" or "125").clas.) and (coolant with (water near\$2%))	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:00
S78	162183	("83" or "125").clas.) and (coolant with (water near\$2%)) and wire saw	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:09
S79	18	("83" or "125").clas.) and (coolant with (water near\$2%)) and (wire adj saw)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:10
S80	63	("83" or "125").clas.) and (resin same (phenol epoxy polyimide)) and abrasive and 35\$3	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:44
S81	162176	("83" or "125").clas.) and (coolant with temperature) and wire saw	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:09

S82	14	("83" or "125".) clas.) and (coolant with temperature) and (wire adj saw)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:10
S83	3	("83" or "125".) clas.) and (resin same (phenol epoxy polyimide)) and abrasive and ((temperature or coolant) near 4 35\$3)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 12:45
S84	2320	thickness adj deviation	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 16:00
S85	9	("83" or "125".) clas.) and (thickness adj deviation)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/06 16:18
S86	2	*4770723".pn.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/09 10:13
S87	2	*4792368".pn.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/09 10:13
S88	2	*6070570".pn.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/09 10:13
S89	758	29/607.ccls.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/09 10:25
S90	659	29/412.ccls.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/05/09 10:25
S91	692	125/21.ccls.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:02

S92	703	83/651.1.ccls.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:02
S93	1075	83/171.ccls.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:02
S94	290	83/16.ccls.	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:02
S95	3202	S91 S92 S93 S94 (29/607.ccls) (29/412.ccls.)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:02
S96	5	S95 and (thick&4 near3 deviation)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:23
S97	11	("4005044" "4770723" "4792368" "5013482" "5176850" "5201305" "5827113" "5896851" "6006737" "6381830" "6390896".)PN. OR ("6837778").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/25 14:23
S98	19	((wire string) near (saw cutter cutting)) and (thick&4 near3 deviation)	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:24
S99	16	S98 not S96	US-PGPUB; USPAT; USOCR; EPO: JPO; DERWENT	OR	OFF	2005/10/25 14:59